

# Safety data sheet

according to 1907/2006/EC, Article 31

SIGA-Dockskin

Version 2

Replace version from: 09.05.2008  
Revision date: 25.10.2017

## 1. IDENTIFICATION OF THE SUBSTANCE/MICTURE AND OF TEH COMPANY/UNDERTAKING\*

### 1.1 Product identifier

Trade name: SIGA-Dockskin

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: adhesion promoter

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier

SIGA Cover AG

Rüt mattstr. 7

CH-6017 Ruswil

Tel. + 41 (0) 41 499 69 69

www.siga.swiss

Further information obtainable from: technik@siga.swiss

### 1.4 Emergency telephone number: + 41 (0)41 499 69 69 during opening hours.

## 2. HAZARDS IDENTIFICATION\*

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008: Void

Hazard pictograms: Void

Signal word: Void

Hazard statements: Void

Additional information

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

### 2.3 Other hazards

**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS\*

### 3.2 Chemical characterisation: Mixtures

Description: modified poly (acrylic derivative) soln. in water

Dangerous components

CAS: 2682-20-4 EINECS: 220-239-6	2-methyl-2H-isothiazol-3-one <i>Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317</i>	<0,03%
CAS: 2634-33-5 EINECS: 220-120-9 Index No.: 613-088-00-6	1,2-benzisothiazol-3(2H)-one <i>Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317</i>	< 0,05%

Additional information: For the wording of the listed hazard phrases refer to section 16.

---

#### 4. FIRST AID MEASURES\*

##### 4.1 Description of first aid measures

###### General information:

In case of accident or if you feel unwell, seek medical advice immediately (show the safety data sheet if possible).

###### After skin contact

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

###### After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Remove contact lenses.

###### After swallowing

If symptoms persist or in case of doubt, seek medical advice.

###### Information for doctor

##### 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

##### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

---

#### 5. FIREFIGHTING MEASURES\*

##### 5.1 Extinguishing media

###### Suitable extinguishing agents

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

##### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

##### 5.3 Advice for firefighters

###### Protective equipment:

In case of fire, wear self-contained respiratory protective device.

###### Additional information

Collect contaminated firefighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated firefighting water in accordance with official regulations.

---

#### 6. ACCIDENTAL RELEASE MEASURES\*

##### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

##### 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

##### 6.3 Methods and material for containment and cleaning up

Absorb liquid components with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

##### 6.4 Reference to other sections

See section 7 for information on safe handling.

See section 8 for information on personal protection equipment.

See section 13 for disposal information.

---

#### 7. HANDLING AND STORAGE\*

##### 7.1 Precautions for safe handling: Avoid contact with eyes and skin.

Information about fire- and explosion protection: No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

Requirements to be met by storerooms and receptacles:	No special requirements.
Information about storage in one common storage facility:	Not required
Further information about storage conditions:	Protect from frost.
Storage class:	10/12 (TRGS510) Liquids.

**7.3 Specific end use(s):** No further relevant information available.

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION\***

**Additional information about design of technical facilities:** Use appropriate local exhaust ventilation.

**8.1 Control parameters**

Ingredients with limit values require monitoring at the workplace

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

The lists valid during the making were used as basis.

**8.2 Exposure controls**

Personal protective equipment

General protective and hygienic measures:

Avoid contact with the eyes and skin. Do not eat or drink while working. The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection: Not required.

Protection of hands

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

*Material of gloves*

Nitrile rubber, NBR, recommended thickness of the material:  $\geq 0,4$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

*Penetration time of glove material*

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN374 Part 3: Level 6).

Eye protection: Tightly sealed goggles.

Body protection: Protective work clothing.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES\*

### 9.1 Information on basic physical and chemical properties

#### General Information

##### Appearance

Form:	Fluid
Colour:	White
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.
<b>pH-value:</b>	3,0 – 5,0

##### Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.

**Flash point:** Not applicable.

**Flammability (solid, gas):** Not determined.

##### Ignition temperature

Decomposition temperature: Not determined.

**Auto-ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

##### Explosion limits

Lower:	Not determined.
Upper:	Not determined.

**Vapour pressure at 20°C:** 23 hPa

**Density at 20°C:** 1,04 g/cm<sup>3</sup>

**Relative density:** Not determined.

**Vapour density:** Not applicable.

**Evaporation rate:** Not applicable.

##### Solubility in/Miscibility with

water: Fully miscible.

**Partition coefficient:** n-Octanol/Wasser: Not determined.

##### Viscosity

Dynamic: Not applicable.

Kinematic: Not applicable.

##### Solvent content

Organic solvents: 0,0 %

VOC (EU): 0,00 %

Solids content: 60 - 70

**9.2 Other information:** No further relevant information available.

---

## 10. STABILITY AND REACTIVITY\*

**10.1 Reactivity:** No further relevant information available.

### 10.2 Chemical stability

Thermal decomposition/conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions:** No dangerous reactions known.  
**10.4 Conditions to avoid:** No further relevant information available  
**10.5 Incompatible materials:** No further relevant information available.  
**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

---

## 11. TOXICOLOGICAL INFORMATION\*

### 11.1 Information on toxicological effects

**Acute toxicity:** Based on available data, the classification criteria are not met.

#### LD/LC50 values relevant for classification

##### 2682-20-4, 2-methyl-2H-isothiazol-3-one

LD50 oral 285 mg/kg (rat)

##### 2634-33-5, 1,2-benzisothiazol-3(2H)-one

LD50 oral 1193 mg/kg (rat)

LD50 dermal 4115 mg/kg (rat)

LC50 (4h) inhalative 0,05 mg/l (ATE)

#### Primary irritant effect

**Skin corrosion/irritation:** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation:** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitization:** Based on available data, the classification criteria are not met.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

**Carcinogenicity:** Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Based on available data, the classification criteria are not met.

**STOT-single exposure:** Based on available data, the classification criteria are not met.

**STOT-repeated exposure:** Based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

---

## 12. ECOLOGICAL INFORMATION\*

### 12.1 Toxicity

#### Aquatic toxicity

##### 2682-20-4, 2-methyl-2H-isothiazol-3-one

LC50 (96h) 4,77 mg/l (Oncorhynchus mykiss)

EC50 (48h) 0,93 mg/l (daphnia magna)

##### 2634-33-5, 1,2-benzisothiazol-3(2H)-one

LC50 (96h) 2,18 mg/l (Oncorhynchus mykiss)

ErC50(72h) 0,11 mg/l (Pseudokirchneriella subcapitata Grünalg)

EC50 (48h) 2,94 mg/l (daphnia magna)

**12.2 Persistence and degradability:** No further relevant information available.

**12.3 Bioaccumulative potential:** No further relevant information available.

**12.4 Mobility in soil:** No further relevant information available.

#### Additional ecological information

**General notes:** Generally not hazardous for water.

### 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

# Safety data sheet

according to 1907/2006/EC, Article 31

SIGA-Dockskin

Version 2  
Replace version from: 09.05.2008  
Revision date: 25.10.2017

**12.6 Other adverse effects:** No further relevant information available.

---

## 13. DISPOSAL CONSIDERATIONS\*

### 13.1 Waste treatment methods

**Recommendation:** Hand over the hazardous waste disposers. Smaller quantities can be disposed of with household waste.

European waste catalogue

20 01 28: paint, inks, adhesives and resins other than those mentioned in 20 01 27

#### Uncleaned packaging

**Recommendation:** Packaging's that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

---

## 14. TRANSPORT INFORMATION\*

### 14.1 UN-Number

ADR, ADN, IMDG, IATA Void

### 14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Void

### 14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA  
Class Void

### 14.4 Packing group

ADR, IMDG, IATA Void

### 14.5 Environmental hazards:

Not applicable.

### 14.6 Special precautions for user:

Not applicable.

### 14.7 Transport in bulk according to Annex II of

**Marpol and the IBC Code** Not applicable.

UN "Model Regulation": Void

---

## 15. REGULATORY INFORMATION\*

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Labelling according to Regulation (EG) No 1272/2008:** Void

**Hazard pictograms:** Void

**Signal word:** Void

**Hazard statements:** Void

Directive 2012/18/EU

**Named dangerous substances – ANNEX I:** None of the ingredients is listed.

### 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

---

## 16. OTHER INFORMATION\*

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:** quality management

### Abbreviations and acronyms:

**ADR:** Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

**IMDG:** International Maritime Code for Dangerous Goods

# Safety data sheet

according to 1907/2006/EC, Article 31



**SIGA-Dockskin**

Version 2

Replace version from: 09.05.2008  
Revision date: 25.10.2017

**IATA:** International Air Transport Association

**GHS:** Globally Harmonised System of Classification and Labelling of Chemicals

**EINECS:** European Inventory of Existing Commercial Chemical Substances

**ELINCS:** European List of Notified Chemical Substances

**CAS:** Chemical Abstracts Service (division of the American Chemical Society)

**VOCV:** Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

**VOC:** Volatile Organic Compounds (USA, EU)

**LC50:** Lethal concentration, 50 percent

**LD50:** Lethal dose, 50 percent

**PBT:** Persistent, Bioaccumulative and Toxic

**vPvB:** very Persistent and very Bioaccumulative

**Acute Tox. 3:** Acute toxicity – Category 3

**Acute Tox. 4:** Acute toxicity – Category 4

**Acute Tox. 2:** Acute toxicity – Category 2

**Skin Corr. 1B:** Skin corrosion/irritation – Category 1B

**Skin Irrit. 2:** Skin corrosion/irritation – Category 2

**Eye Dam. 1:** Serious eye damage/eye irritation – Category 1

**Skin Sens. 1:** Skin sensitisation – Category 1

**Aquatic Acute 1:** Hazardous to the aquatic environment - acute aquatic hazard – Category 1

**Aquatic Chronic 1:** Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

\* Data compared to the previous version altered.